

VM-Series on GCP

- Complements the native GCP firewall with application enablement policies that prevent threats and data loss.
- Enables security to be transparently embedded in the application development process through automation and centralized management.
- Delivers managed scale and cloud-centric high availability through integration with GCP balancing.

VM-Series on Google Cloud Platform

Big data and context-rich application initiatives on Google Cloud Platform (GCP™) are transforming data centers into hybrid clouds, yet the risks of data loss and business disruption remain. Embedding the VM-Series in your GCP application development lifecycle prevents data loss and business disruption, allowing your adoption to move at the speed of the cloud.



Introduction

Big data and context-rich application initiatives on Google Cloud Platform are transforming data centers into hybrid clouds, yet the risks of data loss and business disruption remain. As Google Cloud Platform becomes a more significant deployment platform for your business-critical applications, protecting the increased public cloud footprint becomes critical to your success. The VM-Series on GCP solves these challenges, enabling you to:

- Protect your GCP workloads through unmatched application visibility, precise control, and advanced threat prevention.
- Prevent threats from moving laterally between workloads and stop data exfiltration.
- Embed security in your highly available and scalable application development framework.

Palo Alto Networks VM-Series Virtual Next-Generation Firewalls protect your GCP workloads with next-generation security features that allow you to confidently and quickly migrate your business-critical applications to the cloud. Templates and third-party automation tools allow you to embed the VM-Series in your application development lifecycle to prevent data loss and business disruption.

Google Cloud Firewall or VM-Series Virtual Next-Generation Firewall?

Organizations are migrating their enterprise applications onto GCP for many reasons, including business agility and a desire to reduce data center footprints. In nearly all cases, the GCP deployment is connected to the corporate network, making the GCP resources network accessible by users—and possibly attackers. Security best practices dictate that your public cloud security posture should mimic your data center security approach: understand your threat exposure through application visibility, use policies to reduce the attack surface area, and then prevent threats and data exfiltration within the allowed traffic.

The question then becomes: if you were building a new data center today, would you follow a different approach that relied solely on Layer 4 security when it has historically been woefully inadequate? It's well known that attackers will use SSL, tunnel across TCP/80, or use nonstandard ports to bypass port-based controls in order to compromise your deployment and exfiltrate data, yet customers regularly forego application-centric, prevention-based approaches, believing native, Layer 4 security services like GCP firewall are sufficient.

GCP firewall rules perform port-based filtering to control access to the GCP resources deployed. They must be enabled for the cloud deployment to be operational. They also:

- Follow a positive control security model, using port-based policies to allow traffic and deny all else. GCP firewall rules cannot be used to explicitly deny traffic on GCP.
- Allow all outbound traffic by default. More granular policies can be defined to further reduce outbound traffic flows, but only by whitelisting IPs.

• Enable you to add or remove rules at any time, meaning there is no traditional policy commit process.

The VM-Series complements GCP firewall port-based controls by reducing your attack surface through application enablement, preventing threats, and stopping data exfiltration.

VM-Series on GCP

Palo Alto Networks VM–Series on GCP allows you to embrace a prevention–based approach to protecting your applications and data on GCP. Automation and centralized management features enable you to embed next–generation security in your GCP application development lifecycle, helping you protect your data and limit business disruption.

Complete Visibility Improves Security Decisions

Understanding which applications, including those that may be SSL-encrypted, are traversing your GCP deployment—where they are coming from and going to, and the user's identity—are just a few of the data points the VM-Series provides to help you make better-informed security policy decisions.

Segmentation and Application Whitelisting Aid Data Security and Compliance

Using application whitelisting to enforce a positive security model reduces the attack surface by allowing specific applications and denying all else. You can align application usage to business needs, control application functions—for example, allow SharePoint® documents for all but limit SharePoint administration access to the IT group—and stop threats from accessing and moving laterally across your GCP deployment. Whitelisting policies also allow you to segment applications communicating with each other across different subnets and between virtual private clouds (VPCs) for regulatory compliance.

User-Based Policies Improve Security Posture

Integration with a range of on-premises user repositories—such as Microsoft Exchange, Active Directory®, and LDAP—lets you grant access to critical applications and data based on user credentials and respective need. For example, your developer group can have full access to the developer VPC while only IT administrators have RDP/SSH access to the production VPC. When deployed in conjunction with GlobalProtect™ network security for endpoints, the VM-Series on GCP can extend your corporate security policies to mobile devices and users, regardless of their location.



Applications and Data Are Protected Against Known and Unknown Threats

Attacks, like many applications, can use any port, rendering traditional prevention mechanisms ineffective. Enabling services like Palo Alto Networks Threat Prevention, DNS Security, and WildFire® malware prevention as segmentation policy elements can prevent exploits, malware, and previously unknown threats from both inbound and lateral movement perspectives.

Multiple Defenses Block Data Exfiltration and Unauthorized File Transfers

Data exfiltration can be prevented using a combination of application enablement, Threat Prevention, and DNS Security features. File transfers can be controlled by looking inside the file (as opposed to only at the file extension) to determine if the transfer action should be allowed. Executable files, found in drive-by downloads or secondary payloads, along with malware command and control (C2) as well as associated data theft, can be blocked. Data filtering features can detect and control the flow of confidential data patterns, such as credit card and Social Security numbers, as well as custom patterns.

Container Workload Protection Within GKE

The VM-Series on GCP protects containers running in Google Kubernetes® Engine (GKE) with the same visibility and Threat Prevention capabilities that can be used to protect business critical workloads on GCP. Container visibility empowers security operations teams to make informed security decisions and respond more quickly to potential incidents. Threat Prevention, WildFire, and URL Filtering policies can be used to protect Kubernetes clusters from known and unknown threats. Panorama enables you to automate policy updates as Kubernetes services are added or removed, ensuring security keeps pace with your ever-changing GKE environment.




Figure 1: Deployment of VM-Series in GKE

Centralized Management for Policy Consistency

Panorama™ network security management provides centralized administration for your VM-Series firewalls across multiple cloud deployments alongside your physical appliances, ensuring consistent and cohesive policy. Rich, centralized logging and reporting capabilities provide visibility into virtualized and containerized applications, users, and content. Panorama comprises Panorama Manager and the Log Collector, allowing you to centrally manage your VM-Series firewalls in a distributed manner. You can also use Panorama in conjunction with Cortex™ Data Lake. For more information, please review the Panorama datasheet.

Automation to Support App Dev Workflows

The VM-Series on GCP includes management and automation features that enable you to embed security in your application development workflow process:

- Bootstrapping can automatically provision a VM-Series with a working configuration, complete with licenses and subscriptions, and then auto-register with Panorama.
- A fully documented XML API, Dynamic Address Groups, and External Dynamic Lists allow you to automate VM– Series configuration changes and consume external data to dynamically drive security policy updates.
- HTTP Log Forwarding allows you to drive actions based on observed incidents. In conjunction with Google Cloud Templates or third-party tools, you can deploy next-generation security at the speed of the cloud.

Automated Policy Updates with Tag-Based Policy Model

VM-Series leverages the native tags from GCP in the formulation of network security policies. By basing policies on native GCP infrastructure tags, rather than static attributes such as port or IP address, VM-Series policies can dynamically update as new workloads are created, moved, or deprecated.

Automating Deployments with Terraform and Ansible

Organizations using multiple public and private cloud platforms, or that want to embed VM-Series deployments in their application development processes, can deploy and configure the VM-Series using third-party tool sets, such as Terraform® and Ansible®. The combination of these tools and VM-Series automation features enables organizations to deploy and configure heterogeneous environments at scale with great agility, allowing them to embed next-generation security in their application development frameworks.



Health Monitoring with Google Stackdriver

VM-Series firewalls on GCP can send internal metrics to Google Stackdriver® as a means of monitoring the capacity, health status, and availability of your VM-Series, along with other resources in your GCP environment. The internal metrics that can be sent to Stackdriver include:

- · Session utilization %
- · Total active sessions
- · Dataplane CPU utilization %
- · Dataplane packet buffer utilization %
- · SSL proxy utilization %
- · GlobalProtect active tunnels
- GlobalProtect tunnel utilization %




Figure 2: VM-Series scale-out architecture on GCP

VM-Series on GCP Scalability and Availability

Cloud native designs provide higher capacity and availability by using the native services of the cloud provider, such as load balancing, DNS, and built-in networking services. These focus on service reliability rather than session availability, requiring that each component of the architecture, especially applications, maintain its own state information. The VM-Series uses several of the native services of Google Cloud to enable scale-out of security architectures.

Scalability Options with GCP Load Balancing

The VM-Series can be deployed in conjunction with GCP Load Balancing to enable a more scalable and highly available approach for both inbound and outbound traffic.

Scale-Out with GCP Load Balancing

To secure inbound VPC traffic at scale, you can deploy the VM–Series using a "load balancer sandwich," which comprises external GCP HTTP(S) or TCP/UDP load balancing and internal GCP Load Balancing that distribute traffic across your GCP workloads. Both the VM–Series and the application tiers, deployed behind the GCP Load Balancing services, can be dis-

tributed across multiple GCP availability zones. To achieve higher capacity, application performance, and geographic availability, you can also use multiple GCP regions. This scale-out architecture also provides a cloud native design that guards against a single point of failure.

Securing Outbound and East-West Flows

For high availability and resilience of outbound traffic—both internet-facing and back to the corporate data center—and east-west traffic between VPCs, you can use GCP routing and forwarding rules to route traffic to a pair of VM-Series fire-walls deployed as primary and secondary "next hops" to the same destination. The primary VM-Series firewall will be assigned a higher priority route, using a lower metric in GCP, ensuring all traffic flows through it. If the primary VM-Series firewall fails, GCP will detect this and redirect traffic to the secondary VM-Series firewall, typically within 30 seconds.

Deploying business-critical applications in GCP dictates the need for a security offering that scales in a managed manner and is resilient. Utilizing cloud services supported and maintained by Google Cloud, combined with the VM-Series, allows you to build secure, cloud-centric architectures.

VM-Series on GCP Use Cases

The VM-Series can be deployed on GCP to address several different use cases.

Hybrid Cloud: Securely Enable App Dev and Test

You can securely migrate application development and testing onto GCP through a hybrid deployment that integrates your existing development environment with GCP via a secure connection. This allows your application development and testing teams to get started while maintaining a strong security posture. When deployed on GCP, the VM-Series can act as an IPsec VPN termination point to enable secure communications to and from GCP. You can also layer application control and Threat Prevention policies atop the IPsec VPN tunnel or GCP Direct Connect as added security elements.

Segmentation Gateway: Separation for Security and Compliance

High-profile breaches have shown that cybercriminals are adept at hiding in plain sight, bypassing perimeter controls, and moving at will across networks, physical or virtualized. A GCP VPC provides an isolation and security boundary for your workloads. The VM-Series can augment that separation through segmentation and Threat Prevention policies to protect workload control traffic between the VPCs and across subnets. Containers running in Google Kubernetes Engine are protected with the same visibility and Threat Prevention capabilities, ensuring policy consistency.

Internet Gateway: Protect Production Workloads

As your GCP deployment expands to include public-facing workloads, you can use the VM-Series on GCP as an internet gateway to protect web-facing applications from known and unknown threats. Additionally, you can enable direct access to web-based developer resources, tools, and software updates, minimizing the traffic that flows back to corporate and out to the web.






Figure 3: VM-Series on GCP deployment scenarios

GlobalProtect: Extend Security to Users and Devices

GlobalProtect will enable you to extend perimeter security to your remote users and mobile devices, wherever they are. GlobalProtect establishes a secure connection to protect the user from internet threats and enforces application-based access control policies. Whether the need is for access to the internet, your data center, or software-as-a-service (SaaS) applications, users will enjoy the full protection provided by the VM-Series.

Flexible Licensing Options

The VM-Series on GCP supports several licensing options, including consumption-based licensing via the GCP Launcher Marketplace and a bring-your-own-license (BYOL) model. We also offer a VM-Series BYOL enterprise license agreement (ELA).

Pay-as-You-Go (PAYG) a.k.a. Consumption-Based Licensing

Use your Google Cloud Launcher to purchase and deploy VM-Series bundles directly from the Google Cloud Launcher at an hourly rate, with per-minute metering and billing:

- Bundle 1 contents: Base VM license, Threat Prevention (inclusive of IPS, AV, malware prevention) subscription, and Premium Support (written and spoken English only).
- Bundle 2 contents: Base VM license, Threat Prevention (inclusive of IPS, AV, malware prevention), DNS Security, WildFire, URL Filtering, and GlobalProtect subscriptions, with Premium Support (written and spoken English only).

BYOL

You can purchase any one of the VM-Series models, along with the associated subscriptions and support, via normal Palo Alto Networks channels. From the Google Cloud Launcher, you can then deploy the VM-Series and apply the authorization code to license the VM-Series.

VM-Series BYOL ELA

For large-scale deployments on GCP or across multiple virtualization or cloud environments, the VM-Series BYOL ELA allows you to forecast, and purchase upfront, the number of VM-Series firewalls to be deployed over a one- or three-year period. The VM-Series BYOL ELA gives you a single license authorization code used for the life of the term, providing predictable security spend and simplifying the licensing process by establishing a single start and end date for all VM-Series licenses and subscriptions. Each VM-Series BYOL ELA includes a VM-Series firewall, subscriptions for Threat Prevention, DNS Security, URL Filtering, WildFire, and GlobalProtect Gateway, plus unlimited Panorama virtual machine licenses and support.

Performance and Capacities

For a complete listing of all VM-Series features and capacities, please visit paloaltonetworks.com/comparefirewalls.

Please refer to the latest information on VM-Series performance on GCP instances here.



3000 Tannery Way Santa Clara, CA 95054

Main: +1.408.753.4000 Sales: +1.866.320.4788 Support: +1.866.898.9087

www.paloaltonetworks.com

© 2020 Palo Alto Networks, Inc. Palo Alto Networks is a registered trademark of Palo Alto Networks. A list of our trademarks can be found at https://www.paloaltonetworks.com/company/trademarks.html. All other marks mentioned herein may be trademarks of their respective companies. vm-series-on-gcp-ds-052020